L	Hits	Search Text	DB	Time stamp
Number				
1	426	710/5,6,33,34,29,52,54,57.ccls. and pipelin\$3	USPAT; US-PGPUB; EPO; DERWENT;	2004/03/23 09:55
2	153	(710/5,6,33,34,29,52,54,57.ccls. and pipelin\$3) and (count\$3 near5 (fifo buffer queue cue memory))	IBM_TDB USPAT; US-PGPUB; EPO; DERWENT;	2004/03/23
3	23	((710/5,6,33,34,29,52,54,57.ccls. and pipelin\$3) and (count\$3 near5 (fifo buffer queue cue memory))) and ((available free used)near10 pipeline)	IBM_TDB USPAT; US-PGPUB; EPO; DERWENT;	2004/03/23 09:44
8	1815	711/167-169.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; DERWENT;	2004/03/23 09:43
9	417	711/167-169.ccls. and (count\$3 near5 (fifo buffer queue cue memory))	IBM_TDB USPAT; US-PGPUB; EPO; DERWENT;	2004/03/23 09:43
10	426	(710/5,6,33,34,29,52,54,57.ccls. and pipelin\$3) and pipelin\$3	IBM_TDB USPAT; US-PGPUB; EPO; DERWENT;	2004/03/23
11	426	((710/5,6,33,34,29,52,54,57.ccls. and pipelin\$3) and pipelin\$3) and pipelin\$3	IBM_TDB USPAT; US-PGPUB; EPO; DERWENT;	2004/03/23 09:44
12	168	(711/167-169.ccls. and (count\$3 near5 (fifo buffer queue cue memory))) and pipelin\$3	IBM_TDB USPAT; US-PGPUB; EPO; DERWENT;	2004/03/23
13	55	((711/167-169.ccls. and (count\$3 near5 (fifo buffer queue cue memory))) and pipelin\$3) and ((available free used)near10 pipeline)	IBM_TDB USPAT; US-PGPUB; EPO; DERWENT;	2004/03/23
14	70	((711/167-169.ccls. and (count\$3 near5 (fifo buffer queue cue memory))) and pipelin\$3) and ((available free used stor\$3)near10 pipeline)	IBM_TDB USPAT; US-PGPUB; EPO; DERWENT;	2004/03/23 09:45
15	861	<pre>count\$3 near5 (signal\$3 communicat\$4) near5 (send\$3 sent transmit\$4 transfer\$4) with (fifo queue cue buffer)</pre>	IBM_TDB USPAT; US-PGPUB; EPO; DERWENT;	2004/03/23 09:54
16	55	(710/5,6,33,34,29,52,54,57.ccls. 711/167-169.ccls.) and (count\$3 near5 (signal\$3 communicat\$4) near5 (send\$3 sent transmit\$4 transfer\$4) with (fifo	IBM_TDB USPAT; US-PGPUB; EPO; DERWENT;	2004/03/23 09:55
-	2	queue cue buffer)) 20020120796.pn.	IBM_TDB USPAT; US-PGPUB; EPO; DERWENT;	2003/09/29 13:04
-	o	09543870.src.	IBM_TDB USPAT; US-PGPUB; EPO; DERWENT;	2003/09/29 13:14
			IBM_TDB	

Search History 3/23/04 10:48:33 AM Page 1

	,			
-	0	543870.src.	USPAT;	2003/09/29
			US-PGPUB;	13:13
			EPO;	
	1		DERWENT;	ŀ
			IBM TDB	}
1 -	2	6496740.pn.	USPAT;	2003/09/29
		0.507 TO.PM.	US-PGPUB;	13:14
1	ł		1	13:14
			EPO;	
			DERWENT;	
			IBM_TDB	
-	13	("4979170"   "5379320"   "5404522"	USPAT	2003/09/29
		"5634076"   "5678064"   "5748945"		13:53
		"5812873"   "6092173"   "6195724"		i l
		"6240458"   "6253260"   "6260099"		
		"6272564").PN.		
1_	3195	(count or counter) with (current\$3 adj	USPAT	2003/10/01
	1 3133	(data or value))	OSFAI	,
	1640			17:42
-	1649	((count or counter) with (current\$3 adj	USPAT	2003/09/29
		(data or value))) and (FIFO or buffer or		14:32
		queue or cue)		
-	264	(((count or counter) with (current\$3 adj	USPAT	2003/09/29
		(data or value))) and (FIFO or buffer or		14:41
		queue or cue)) and (count or counter)		[ ]
		with ((full or used or empty or		[
1		available) near3 value)		j l
1_	106	((((count or counter) with (current\$3 adj	USPAT	2003/00/20
	100		USPAT	2003/09/29
		(data or value))) and (FIFO or buffer or		16:23
		queue or cue)) and (count or counter)		
		with ((full or used or empty or		
		available) near3 value)) and fifo		
-	1	4833651.pn.	USPAT	2003/09/29
		-		16:23
-	1	5761735.pn.	USPAT	2003/09/29
			002	16:24
_	20	(((US-4833651-\$ or US-5761735-\$ or	HCDAT.	2003/09/30
ļ	20	US-6504824-\$ or US-6501757-\$ or	USPAT;	
			US-PGPUB;	15:16
		US-6466997-\$ or US-6414689-\$ or	EPO;	
		US-6401149-\$ or US-6363075-\$ or	DERWENT;	
		US-6349372-\$ or US-6330626-\$ or	IBM_TDB	
		US-6327625-\$ or US-6263410-\$ or		
		US-6212567-\$ or US-6188699-\$ or		
		US-6115775-\$ or US-6088745-\$ or		
		US-6081854-\$ or US-6067563-\$ or		
		US-6055285-\$ or US-5999980-\$ or		
		US-5951635-\$ or US-5905905-\$ or		
		US-5860119-\$ or US-5483525-\$ or		1
		US-5469398-\$ or US-5008878-\$).did. or		<b> </b>
		(US-20030046475-\$ or	İ	
]	] ]	· ·		
]		US-20020159385-\$).did. or		
		(GB-2297639-\$).did.) and initial\$7 ) and		
1	_ ,	(cancel\$4 or stop\$3 or annul or end\$3)		<b>i</b>
-	25	_ ,	USPAT;	2003/09/30
]		US-6504824-\$ or US-6501757-\$ or	US-PGPUB;	15:15
]		US-6466997-\$ or US-6414689-\$ or	EPO;	1
		US-6401149-\$ or US-6363075-\$ or	DERWENT;	I
		US-6349372-\$ or US-6330626-\$ or	IBM TDB	ļ
		US-6327625-\$ or US-6263410-\$ or		
[ i		US-6212567-\$ or US-6188699-\$ or		į
		US-6115775-\$ or US-6088745-\$ or	ŀ	
i		· -		
]		US-6081854-\$ or US-6067563-\$ or		l
		US-6055285-\$ or US-5999980-\$ or		
		US-5951635-\$ or US-5905905-\$ or	ļ	İ
į l		US-5860119-\$ or US-5483525-\$ or		ļ
j !	] [	US-5469398-\$ or US-5008878-\$).did. or		
1		(US-20030046475-\$ or		
1		US-20020159385-\$).did. or		
	l l	05 20020103300 V/: u1u: 01		

-	29	(	USPAT;	2003/09/30
		US-6504824-\$ or US-6501757-\$ or	US-PGPUB;	15:13
		US-6466997-\$ or US-6414689-\$ or US-6401149-\$ or US-6363075-\$ or	DERWENT	1
		US-6349372-\$ or US-6330626-\$ or		
ĺ		US-6327625-\$ or US-6263410-\$ or		
		US-6212567-\$ or US-6188699-\$ or		1
		US-6115775-\$ or US-6088745-\$ or		
ļ		US-6081854-\$ or US-6067563-\$ or		
		US-6055285-\$ or US-5999980-\$ or		
		US-5951635-\$ or US-5905905-\$ or US-5860119-\$ or US-5483525-\$ or		
		US-5469398-\$ or US-5008878-\$).did. or		:
		(US-20030046475-\$ or		
		US-20020159385-\$).did. or		
		(GB-2297639-\$).did.		
-	345		USPAT;	2003/09/30
		available or free or unused or "not	US-PGPUB;	09:50
		used")) and fifo same ((current or currently) with (stor\$3 or full or used	JPO; DERWENT;	
		or filled))	IBM TDB	
<b> </b> -	2140	fifo same ((count or counter) with	USPAT;	2003/09/30
		available or free or unused or "not	US-PGPUB;	09:47
		used")	JPO;	
1			DERWENT;	
1_		710/54 and (count or counter) with	IBM_TDB USPAT	2002/10/01
	· °	(current\$3 adj (data or value))	USPAT	2003/10/01 17:43
-	806		USPAT;	2004/03/23
		near5 (send\$3 sent transmit\$4 transfer\$4)	US-PGPUB;	09:54
1		with (fifo que cue buffer)	EPO;	
			DERWENT;	
_	675	/countés nours /ciancles communicates	IBM_TDB	2004/02/20
	6/3	<pre>(count\$3 near5 (signal\$3 communicat\$4) near5 (send\$3 sent transmit\$4 transfer\$4)</pre>	USPAT; US-PGPUB;	2004/03/18
		with (fifo que cue buffer)) and (count\$3	EPO;	113.31
		near5 (signal\$3 communicat\$4) near5	DERWENT;	-
		count\$3)	IBM_TDB	
-	660		USPAT;	2004/03/18
		near5 (send\$3 sent transmit\$4 transfer\$4) with (fifo que cue buffer)) and (count\$3	US-PGPUB;	13:51
		near10 count\$3)	EPO; DERWENT;	
	1		IBM TDB	
] -	570	(count\$3 near5 (signal\$3 communicat\$4)	USPAT;	2004/03/18
1	1	near5 (send\$3 sent transmit\$4 transfer\$4)	US-PGPUB;	16:07
	]	with (fifo que cue buffer)) and (count\$3	EPO;	
	1	near10 count\$3) with (signal\$3 communicat\$4)	DERWENT;	
-	25	((count\$3 near5 (signal\$3 communicat\$4)	IBM_TDB USPAT;	2004/03/18
1		near5 (send\$3 sent transmit\$4 transfer\$4)	US-PGPUB;	13:55
1		with (fifo que cue buffer)) and (count\$3	EPO;	
		near10 count\$3) with (signal\$3	DERWENT;	
		communicat\$4)) and confirm\$7 with	IBM_TDB	
1_	344	(signal\$3 message communicat\$3) 710/57.ccls.	IICDAT.	2004/02/19
Ī	344	110/01.CC13.	USPAT; US-PGPUB;	2004/03/18 14:33
1			EPO;	11.55
1			DERWENT;	
			IBM_TDB	
-	38	710/29,33,34,44,52.ccls. and (count\$3	USPAT;	2004/03/22
		near5 (signal\$3 communicat\$4) near5 (send\$3 sent transmit\$4 transfer\$4) with	US-PGPUB;	16:42
		(fifo que cue buffer))	EPO; DERWENT;	
		,	IBM TDB	
-	11	710/57.ccls. and (count\$3 near5 (signal\$3	USPAT;	2004/03/18
		communicat\$4) near5 (send\$3 sent	US-PGPUB;	14:38
İ		transmit\$4 transfer\$4) with (fifo que cue	EPO;	
		buffer))	DERWENT;	
			IBM_TDB	L

		1710/541 1/	Luanam	1 2004 /02 /10
-	2	710/54.ccls. and (count\$3 near5 (signal\$3	USPAT;	2004/03/18
		communicat\$4) near5 (send\$3 sent	US-PGPUB;	14:38
•		transmit\$4 transfer\$4) with (fifo que cue	EPO;	1
		buffer))	DERWENT;	
			IBM_TDB	
_	13	("4040026"   "4542457"   "4571672"	USPAT	2004/03/18
		"4603382"   "4716522"   "4933840"	1	16:01
		"5056010"   "5084841"   "5224213"		
		"5249271"   "5267191"   "5278956"		
		"5295246").PN.		
_	95798	(count\$3 near10 count\$3) with (signal\$3	USPAT;	2004/03/18
		communicat\$4)	US-PGPUB;	16:07
			EPO;	
			DERWENT;	
			IBM TDB	
_	347	710/29,33,34,44,52,54,57.ccls. and	USPAT;	2004/03/18
	1	((count\$3 near10 count\$3) with (signal\$3	US-PGPUB;	16:08
		communicat\$4))	EPO;	1 2000
		Community 177	DERWENT;	
			IBM TDB	Į.
_	207	(710/29,33,34,44,52,54,57.ccls. and	USPAT;	2004/03/18
	207	((count\$3 near10 count\$3) with (signal\$3	US-PGPUB;	16:10
	i	communicat\$4))) and count\$3 near5 (fifo	EPO;	10.10
		queue cue buffer)	DERWENT;	
		queue cue bullel/	IBM TDB	
_	84	((710/29,33,34,44,52,54,57.ccls. and	USPAT;	2004/03/18
	"	((count\$3 near10 count\$3) with (signal\$3	US-PGPUB;	16:11
		communicat\$4))) and count\$3 near5 (fifo	EPO;	10.11
		queue cue buffer)) and (count\$3 near5	DERWENT;	
		(initiali\$7 predetermined predefined	IBM_TDB	
	1 42	default))	, , , , , , , , , , , , , , , , , , ,	2004/02/22
-	43	710/29,33,34,44,52.ccls. and (count\$3	USPAT;	2004/03/23
		near5 (signal\$3 communicat\$4) near5	US-PGPUB;	08:58
		(send\$3 sent transmit\$4 transfer\$4) with	EPO;	
		(fifo queue cue buffer))	DERWENT;	ĺ
		/#5554005# 4 #5000554# 4 #6044555# :	IBM_TDB	, , ,
_	11	("5764895"   "5923654"   "6011793"	USPAT	2004/03/22
		"6044061"   "6088744"   "6249520"		16:44
		"6304578"   "6493347"   "6516442"		
		"6535510"   "6546420").PN.		